

**EUR price list**  
summer 2017

**molo** design, ltd

1470 Venables Street  
Vancouver, B.C.  
Canada V5L 2G7

t +1 604 685 0340  
f +1 604 685 0342

[info@molodesign.com](mailto:info@molodesign.com)  
[www.molodesign.com](http://www.molodesign.com)



## **Euro (€) Pricing and Terms**

### **Pricing**

All pricing is shown in euro. Shipping charges are additional. Purchaser is responsible for all import duties + VAT where applicable.

### **Payment and Shipping**

We accept payment in euro by bank transfer. We also accept payment by Visa, MasterCard, and AMEX, however, invoices paid by credit card will be processed in Canadian funds (converted at the current exchange rate). Some limitations apply, so please inquire about our current payment policy.

Payment must be received in full before any goods will be shipped. Shipping charges are additional. Standard delivery is by FedEx International Priority or freight forwarder.

Prices and policies are subject to change without notice.

### **Exchange Policy**

All sales are final.

Goods which are damaged or defective at the time of receipt can be exchanged for same goods, provided we are notified by e-mail, fax, or phone within two business days of receipt of the goods.

This policy does not include goods which are not defective, but rather exhibit minor variations typical of handmade products.

### **Ordering Information**

E-mail orders to [sales@molodesign.com](mailto:sales@molodesign.com), or fax +1 604 685 0342


For small orders, goods are normally in stock and ready to ship. For larger orders, projects with fixed deadlines, or orders with custom colour softwall + softblock, please allow for up to 14 weeks lead time.



## soft collection

### softwall + softblock modular system

softwall + softblock is a modular system of freestanding flexible partition walls and building blocks. softwall + softblock are available in a variety of sizes, materials, and colours, offering a range of properties including acoustic absorption, fire rating, UV and water resistance, and translucency or opacity. Paper and textile materials contain recycled content and all materials used are 100% recyclable. All modular softwall + softblock elements are flexible in length, opening to a maximum of 4.5m (15') long when fully expanded. When softwall + softblock are compressed for storage they are less than 50mm (2") thick. You can choose to open your softwall less than the full length to create shorter partitions or you can create longer walls by simply connecting two or more softwalls end-to-end by their magnetic end panels. Each 1830mm (6') and 2440mm (8') softwall comes with a stainless steel wall hook for simple, compact storage.



product	dimensions	material + colour †	product weight*	shipping weight*	price EUR €**	product code
<b>softwall</b> 1830mm tall (6')		paper · natural brown (235mm wide) (9.25") paper · black (235mm wide) (9.25") paper · indigo blue** (235mm wide) (9.25") textile · white (translucent) (235mm wide) (9.25") textile · black (290mm wide) (11.5") FR textile · white (290mm wide) (11.5") textile · custom colour** (235mm wide) (9.25")  290mm (11.5") wide softwalls ship in box: 2000mm x 330mm x 90mm (78.75" x 13" x 3.5")  235mm (9.25") wide softwalls ship in box: 2000mm x 265mm x 90mm (78.75" x 10.5" x 3.5")	12.6kg 13.6kg 13.6kg 7.8kg 8.4kg 10.5kg varies	17.9kg 18.9kg 18.9kg 12.4kg 13.0kg 15.1kg varies	1000 1250 1250 2000 2700 2750 varies	SW-P-BR-06-09 SW-P-BK-06-09 SW-P-BU-06-09 SW-T-WH-06-09 SW-T-BK-06-12 SW-FRT-WH-06-12-M1-B1 SW-T-CC-06-09**
<b>softwall</b> 2440mm tall (8')		paper · natural brown (235mm wide) (9.25") paper · black (235mm wide) (9.25") paper · indigo blue** (235mm wide) (9.25") textile · white (translucent) (235mm wide) (9.25") textile · black (290mm wide) (11.5") FR textile · white (290mm wide) (11.5") textile · custom colour** (235mm wide) (9.25")  290mm (11.5") wide softwalls ship in box: 2610mm x 330mm x 90mm (102.75" x 13" x 3.5")  235mm (9.25") wide softwalls ship in box: 2610mm x 265mm x 90mm (102.75" x 10.5" x 3.5")	16.3kg 16.6kg 16.6kg 10.3kg 11.2kg 14.4kg varies	20.2kg 22.0kg 22.0kg 14.2kg 17.4kg 20.6kg varies	1300 1550 1550 2700 4000 3750 varies	SW-P-BR-08-09 SW-P-BK-08-09 SW-P-BU-08-09 SW-T-WH-08-09 SW-T-BK-08-12 SW-FRT-WH-08-12-M1-B1 SW-T-CC-08-09**
<b>softwall</b> 3050mm tall (10')		textile · white (translucent) (450mm wide) (17.75") textile · black (450mm wide) (17.75") FR textile · white (450mm wide) (17.75") textile · custom colour** (340mm wide) (13.3")  450mm (17.75") wide softwalls ship in box: 2610mm x 490mm x 90mm (102.75" x 19.25" x 3.5")  340mm (13.3") wide softwalls ship in box: 2610mm x 370mm x 100mm (102.75" x 14.5" x 4")	15.4kg 16.4kg 18.0kg varies	23.0kg 24.0kg 25.6kg varies	3600 4800 4650 varies	SW-T-WH-08-18 SW-T-BK-08-18 SW-FRT-WH-08-18-M1-B1 SW-T-CC-08-13**
<b>softwall</b> 3050mm tall (10')		textile · white (translucent) (340mm wide) (13.3") textile · black (450mm wide) (17.75") FR textile · white (450mm wide) (17.75") textile · custom colour** (340mm wide) (13.3")  450mm (17.75") wide softwalls ship in box: 3210mm x 490mm x 90mm (126.25" x 19.25" x 3.5")  340mm (13.3") wide softwalls ship in box: 3210mm x 370mm x 100mm (126.25" x 14.5" x 4")	19.3kg 20.5kg 22.5kg varies	32.8kg 34.0kg 36.0kg varies	4350 6000 5600 varies	SW-T-WH-10-13 SW-T-BK-10-18 SW-FRT-WH-10-18-M1-B1 SW-T-CC-10-13**
<b>custom colour**</b>		textile softwall + softblock available in any Pantone colour lead time: 12 - 14 weeks (expedited service available) minimum order: varies, please inquire for more details			price varies with colour + size; please request a quote	
<b>custom height fee</b>		any softwall + softblock element can be cut shorter to a custom height (there are some constraints due to position of magnets in end panels; please inquire)			100	SRV-CUT-H-WALL

\* weights may vary

\*\* 12 - 14 week lead time + minimum quantities may apply for indigo blue paper + custom colour textile


\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT

† acoustic testing documentation + fire-rating certification available upon request

# soft collection

## softwall + softblock modular system

All modular softwall + softblock elements are flexible in length, opening to a maximum of 4.5m (15') long. All elements in the softwall + softblock modular system connect together with concealed magnets in an almost seamless way, with the vertical joints blending with the rhythm of the vertically pleated structures.



product	dimensions	material + colour †	product weight*	shipping weight*	price EUR €**	product code
<b>softblock</b> 305mm tall (1')		<p>paper · natural brown (235mm wide) (9.25') 2.1kg                      paper · black (235mm wide) (9.25') 2.3kg                      paper · indigo blue** (235mm wide) (9.25') 2.3kg                      textile · white (translucent) (235mm wide) (9.25') 1.3kg                      textile · black (290mm wide) (11.5') 1.4kg                      FR textile · white (290mm wide) (11.5') 1.8kg                      textile · custom colour** (235mm wide) (9.25') varies</p> <p>290mm (11.5') wide softblocks ship in box: 400mm x 340mm x 90mm (15.75" x 13.25" x 3.5")</p> <p>235mm (9.25') wide softblocks ship in box: 400mm x 265mm x 90mm (15.75" x 10.5" x 3.5")</p>	varies	varies	varies	SB-P-BR-01-09 SB-P-BK-01-09 SB-P-BU-01-09** SB-T-WH-01-09 SB-T-BK-01-12 SB-FRT-WH-01-12-M1-B1 SB-T-CC-01-09**
<b>softblock</b> 610mm tall (2')		<p>paper · natural brown (235mm wide) (9.25') 4.2kg                      paper · black (235mm wide) (9.25') 4.5kg                      paper · indigo blue** (235mm wide) (9.25') 4.5kg                      textile · white (translucent) (235mm wide) (9.25') 2.6kg                      textile · black (290mm wide) (11.5') 2.8kg                      FR textile · white (290mm wide) (11.5') 3.6kg                      textile · custom colour** (235mm wide) (9.25') varies</p> <p>290mm (11.5') wide softblocks ship in box: 710mm x 340mm x 90mm (28" x 13.25" x 3.5")</p> <p>235mm (9.25') wide softblocks ship in box: 710mm x 265mm x 90mm (28" x 10.5" x 3.5")</p>	varies	varies	varies	SB-P-BR-02-09 SB-P-BK-02-09 SB-P-BU-02-09** SB-T-WH-02-09 SB-T-BK-02-12 SB-FRT-WH-02-12-M1-B1 SB-T-CC-02-09**
<b>softblock</b> 915mm tall (3')		<p>paper · natural brown (235mm wide) (9.25') 6.3kg                      paper · black (235mm wide) (9.25') 6.8kg                      paper · indigo blue** (235mm wide) (9.25') 6.8kg                      textile · white (translucent) (235mm wide) (9.25') 3.9kg                      textile · black (290mm wide) (11.5') 5.3kg                      FR textile · white (290mm wide) (11.5') 5.3kg                      textile · custom colour** (235mm wide) (9.25') varies</p> <p>290mm (11.5') wide softblocks ship in box: 1080mm x 340mm x 90mm (42.5" x 13.25" x 3.5")</p> <p>235mm (9.25') wide softblocks ship in box: 1080mm x 265mm x 90mm (42.5" x 10.5" x 3.5")</p>	varies	varies	varies	SB-P-BR-03-09 SB-P-BK-03-09 SB-P-BU-03-09** SB-T-WH-03-09 SB-T-BK-03-12 SB-FRT-WH-03-12-M1-B1 SB-T-CC-03-09**
<b>softblock</b> 305mm tall (1')		<p>paper · natural brown (340mm wide) (13.3') 3.3kg                      paper · black (450mm wide) (17.75') 4.1kg                      textile · white (translucent) (450mm wide) (17.75') 1.9kg                      textile · black (450mm wide) (17.75') 2.0kg                      FR textile · white (450mm wide) (17.75') 2.3kg                      textile · custom colour** (340mm wide) (13.3') varies</p> <p>450mm (17.75') wide softblocks ship in box: 400mm x 490mm x 90mm (15.75" x 19.25" x 3.5")</p> <p>340mm (13.3') wide softblocks ship in box: 400mm x 370mm x 100mm (15.75" x 14.5" x 4")</p>	varies	varies	varies	SB-P-BR-01-13 SB-P-BK-01-18 SB-T-WH-01-18 SB-T-BK-01-18 SB-FRT-WH-01-18-M1-B1 SB-T-CC-01-13**
<b>softblock</b> 610mm tall (2')		<p>paper · natural brown (340mm wide) (13.3') 6.5kg                      paper · black (450mm wide) (17.75') 8.2kg                      textile · white (translucent) (450mm wide) (17.75') 3.9kg                      textile · black (450mm wide) (17.75') 4.1kg                      FR textile · white (450mm wide) (17.75') 4.5kg                      textile · custom colour** (340mm wide) (13.3') varies</p> <p>450mm (17.75') wide softblocks ship in box: 710mm x 490mm x 90mm (28" x 19.25" x 3.5")</p> <p>340mm (13.3') wide softblocks ship in box: 710mm x 370mm x 100mm (28" x 14.5" x 4")</p>	varies	varies	varies	SB-P-BR-02-13 SB-P-BK-02-18 SB-T-WH-02-18 SB-T-BK-02-18 SB-FRT-WH-02-18-M1-B1 SB-T-CC-02-13**
<b>softblock</b> 915mm tall (3')		<p>paper · natural brown (340mm wide) (13.3') 9.7kg                      paper · black (450mm wide) (17.75') 12.3kg                      textile · white (translucent) (450mm wide) (17.75') 5.8kg                      textile · black (450mm wide) (17.75') 6.2kg                      textile · white heavyweight (translucent) 13.0kg                      FR textile · white (450mm wide) (17.75') 6.8kg                      textile · custom colour** (340mm wide) (13.3') varies</p> <p>450mm (17.75') wide softblocks ship in box: 1080mm x 490mm x 90mm (42.5" x 19.25" x 3.5")</p> <p>340mm (13.3') wide softblocks ship in box: 1080mm x 370mm x 100mm (42.5" x 14.5" x 4")</p>	varies	varies	varies	SB-P-BR-03-13 SB-P-BK-03-18 SB-T-WH-03-18 SB-T-BK-03-18 SB-T-BK-03-18 SB-T-WH-03-18-HW SB-FRT-WH-03-18-M1-B1 SB-T-CC-03-13**

\* softwall + softblock elements are flexible in length, opening to a max 4.5m (15') long when compressed for storage, softwall + softblock are less than 50mm (2") thick

\* weights may vary

\*\* 12 - 14 week lead time + minimum quantities may apply for indigo blue paper + custom colour textile

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT


† acoustic testing documentation + fire-rating certification available upon request



## soft collection

### LED ribbon kits for white textile softwall + softblock

Flexible LED lighting has been designed to integrate with the white textile version of softwall + softblock (our modular system of freestanding, flexible partition walls and foldable building blocks). This luminous version of softwall + softblock emphasizes the visually delicate fibres of the translucent textile material and makes the expansion, contraction, and fluid movement of these freestanding structures all the more magical. LED ribbons are available from molo in warm white and a very neutral daylight white. Please inquire about the recommended arrangement for your project.



product		dimensions + specs	colour of LED	price EUR €**	product code
LED kit for softwall	<p>x2</p>	LED kit for 1830mm (6') tall softwall · 2 ribbon	daylight white 4200K warm white 2500K	450	SA-LED-RIB-DW-6 SA-LED-RIB-WW-6
		LED kit for 2440-3050mm (8-10') tall softwall · 2 ribbon	daylight white 4200K warm white 2500K	450	M-SA-LED-RIB-DW-8-10 M-SA-LED-RIB-WW-8-10
		<p>warm white: 4600 lumens** daylight white: 5140 lumens** 56W power draw</p> <p>LED kits include: + two flexible LED ribbons 4.5m (15') long + 2-way coupler + 10' (3m) power wire with dimmer + 100 - 240V 120W plug-in transformer + plug types available: B, E/F</p> <p>shipping weight: 1.6kg (3.5lbs)*</p>			
	<p>x1</p>	LED kit for softwall · 1 ribbon 1 LED ribbon in bottom hole of any size softwall	daylight white 4200K warm white 2500K	225	SA-LED-RIB-DW-1 SA-LED-RIB-WW-1
		<p>warm white: 2300 lumens** daylight white: 2570 lumens** 28W power draw</p> <p>LED kit includes: + one flexible LED ribbon 4.5m (15') long + 3m (10') power wire with dimmer + 100 - 240V 38W plug-in transformer + plug types available: A, C, G, I</p> <p>shipping weight: 0.75kg (1.6lbs)*</p>			
LED kit for softblock we recommend 1 LED ribbon per every 610mm (2') in height of softblocks. Please ask for advice specific to your project	<p>x1</p>	LED kit for softblock · 1 ribbon	daylight white 4200K warm white 2500K	225	SA-LED-RIB-DW-1 SA-LED-RIB-WW-1
		<p>warm white: 2300 lumens** daylight white: 2570 lumens** 28W power draw</p> <p>LED kit includes: + one flexible LED ribbon 4.5m (15') long + 3m (10') power wire with dimmer + 100 - 240V 38W plug-in transformer + plug types available: A, C, G, I</p> <p>shipping weight: 0.75kg (1.6lbs)*</p>			
	<p>x2</p>	LED kit for softblock · 2 ribbon	daylight white 4200K warm white 2500K	450	SA-LED-RIB-DW-2 SA-LED-RIB-WW-2
		<p>warm white: 4600 lumens** daylight white: 5140 lumens** 56W power draw</p> <p>LED kits include: + two flexible LED ribbon 4.5m (15') long + 2-way coupler + 3m (10') power wire with dimmer + 100 - 240V 120W plug-in transformer + plug types available: B, E/F</p> <p>shipping weight: 1.6kg (3.5lbs)*</p>			
	<p>x3</p>	LED kit for softblock · 3 ribbon	daylight white 4200K warm white 2500K	675	SA-LED-RIB-DW-3 SA-LED-RIB-WW-3
		<p>warm white: 6900 lumens** daylight white: 7710 lumens** 84W power draw</p> <p>LED kit includes: + three flexible LED ribbon 4.5m (15') long + 3-way coupler + 3m (10') power wire with dimmer + 100 - 240V 120W plug-in transformer + plug types available: B, E/F</p> <p>shipping weight: 1.8kg (3.9lbs)*</p>			
4.5m (15') electrical extension		to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable)		45	SA-EEXT-15
		details available upon request			

\* weights may vary

\*\* lumen values refer to LED output; textile material of softwall + softblock will absorb some light

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT

# soft collection

## accessories for softwall + softblock

softwall + softblock are freestanding on their own so the accessories below are optional for additional functionality. Please ask for more information on which accessories may be appropriate for your project.




**peg + disc**  
reinforce connection between horizontal layers of softblocks




**small steel strips**  
align ends of softblocks directly over one another



**steel strips**  
anchor magnetic end panel of softwall to any solid surface



**felt handle**  
purchase two handles if you would like handles at both ends of your softwall



**tubes**  
transform softblock into a rigid beam to span window or door openings; tubes can also hold softwall + softblock in straight lengths

product		dimensions	material + colour	price EUR €**	product code
<b>peg + strip</b> for use with 290mm or 235mm (9.25" or 11.5") softblock  <b>peg + disc</b> for use with 450mm or 340mm (13.3" or 17.75") softblock		150mm x 40mm Ø (6" x 1.5") cork pegs (set of 2)  + steel strip 300mm x 70mm (11.75" x 2.8") or steel disc 165mm (6.5") Ø  0.5kg (1.1lbs)*	natural cork pegs with magnets  white powder coated steel strip white powder coated steel disc	80	SA-2PEG-1STRP SA-2PEG-1DISC
<b>steel disc</b> use as tray / display surface on softblocks		small 165mm (6.5") Ø 0.3kg (0.6lbs)*  medium 300mm (11.75") Ø 0.8kg (1.7lbs)*  large 350mm (13.75") Ø 1.0kg (2.2lbs)*	white powder coated steel  white powder coated steel  white powder coated steel	25  35  45	SA-DISC-ST-WH-SM  SA-DISC-ST-WH-MD  SA-DISC-ST-WH-LG
<b>steel anchor strips</b> set of 2		small 300mm x 70mm (11.75" x 2.8") 0.7kg (1.5lbs)*  medium for 1830mm (6') tall softwall 1675mm x 70mm (66" x 2.8") 4.6kg (10.1lbs)*  large for 2440mm (8') tall softwall 2285mm x 70mm (90" x 2.8") 6.2kg (13.6lbs)*	white powder coated steel  white powder coated steel  white powder coated steel	40  180  220	SA-STRP-ST-WH-SM  SA-STRP-ST-WH-MD  SA-STRP-ST-WH-LG
<b>tubes</b> to lock softwall + softblock in straight line, or as a lintel above windows + doorways		custom cut to length for your project, please ask for advice	clear PETG  natural brown paper	€4.50 /305mm (12")  €2 /300mm (11.8")	SA-TUBE-PETG-300  SA-TUBE-P-BR-300
<b>clipping system</b> set of 10		small magnets 13mm x 6mm Ø (0.5" x 0.25") 0.1kg (0.2lbs)*  large magnets 3mm x 25mm Ø (0.12" x 1") 0.1kg (0.2lbs)*	white steel clips nickel plated magnets	25  30	SA-CLIP-SM  SA-CLIP-LG
<b>glass vase</b> insert into honeycomb cells of softblock for flowers, pens, catering, etc.		180" x 40mm Ø (7" x 1.5") 0.4kg (1lbs)*	clear borosilicate glass	40	SA-VASE-GLS-CL
<b>felt handles</b> · 1 set per end of softwall · 1 set for two ends of thinwall		216mm x 305mm (8.5" x 12") 0.2kg (0.4lbs)*	natural grey felted wool 235-290mm (9.25-11.5") wide softwall 340-450mm (13.3-17.75") wide softwall  black felted wool 235-290mm (9.25-11.5") wide softwall 340-450mm (13.3-17.75") wide softwall	80 80  90 90	SA-HNDL-FLT-GR-12 SA-HNDL-FLT-GR-18  SA-HNDL-FLT-BK-12 SA-HNDL-FLT-BK-18

\* weights may vary


\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT



# soft collection

## benchwall + thinwall modular system

benchwall is an expandable, flexible paper bench with a 1830mm (6') tall backrest that functions as an acoustic space partition as well as seating. Flexible in length, benchwall can stretch into a long, straight, high-backed bench or be swept into a circular bench-lined room for intimate meetings with impressive acoustic absorption. thinwall is a flexible wall measuring only 90mm (3.5") wide. It offers diverse applications such as a sculptural acoustic liner for walls, columns, and ceilings; a flexible wrap for closet/storage areas, reception desks, and other millwork; or a partition for shaping more intimate areas within any larger space.



product	dimensions	material + colour	product weight*	shipping weight*	price EUR €**	product code
<b>benchwall</b> 1830mm tall x 85mm wide backrest (6' x 3.5")  455mm tall x 455mm wide seat (18" x 18")	<p>1830mm (6')</p> <p>455mm (18')</p> <p>max length varies by material</p> <p>455mm (18')</p> <p>*benchwall elements are flexible in length:                      — paper benchwalls open to a max 3500mm (11.5') long                      — textile benchwalls open to a max 2500mm (8') or 5000mm (16.5') long                      benchwall elements can magnetically connect to thinwall or fanning bench below.</p>	paper · natural brown (3500mm long) (11.5) paper · black (3500mm long) (11.5) textile · white (translucent) (2500mm long) (8') ** textile · white (translucent) (5000mm long) (16.5) **	28.3kg 30.9kg 23.5kg 46.9kg	38.2kg 40.9kg 33.5kg 56.9kg	1950 2450 5150 9750	BW-P-BR-06-11 BW-P-BK-06-11 BW-T-WH-06-8 BW-T-WH-06-16
<b>thinwall</b> 1830mm tall x 90mm wide (6' x 3.5")	<p>1830mm (6')</p> <p>90mm (3.5')</p> <p>4500mm (15') max</p> <p>*thinwall elements are flexible in length, opening to a max 4.5m (15') long and magnetically connect to benchwall</p>	paper · natural brown paper · black textile · white (translucent)	12.4kg 14.7kg 5.0kg	16.4kg 18.7kg 9.0kg	800 940 1650	THW-P-BR-06-3 THW-P-BK-06-3 THW-T-WH-06-3
<b>fanning stool · bench</b> stool: 455mm tall x 915mm Ø (18" tall x 36" Ø)  bench: 2500mm long x 455mm wide x 455mm tall (8' x 18" x 18")	<p>915mm (36") Ø</p> <p>455mm (18')</p> <p>455mm (18')</p> <p>455mm (18')</p> <p>2500mm (8') max</p> <p>*915mm Ø softseating elements can be opened into linear benches – flexible in length – opening to a max 2.5m (8') long, that magnetically connect to benchwall</p>	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)	14.3kg 15.1kg 15.1kg 11.9kg	16.6kg 17.4kg 17.4kg 14.2kg	800 1100 1100 2200	SS-P-BR-18-36 SS-P-BK-18-36 SS-P-BU-18-36** SS-T-WH-18-36

\* weights may vary

\*\* 12 - 14 week lead time may apply for white textile benchwall + indigo blue paper softseating


\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT



# soft collection

## softseating

softseating is made from heavyweight versions of the same paper and textile materials used in softwall + softblock modular system. Each element of softseating utilizes a flexible honeycomb structure to fan open into a stool, table, bench, or lounger and then recompress like a book for storage. Each element has magnetic end panels allowing two or more of the same size to connect, creating long winding benches. The flexible, large diameter fanning loungers may be leaned on one another or against walls to create uniquely contoured shapes with backrests.









product	dimensions	material + colour	product weight*	shipping weight*	price EUR €**	product code
<b>fanning stool</b> 305mm tall x 405mm Ø (12" x 16")	 405mm (16") Ø 305mm (12")	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)  ships in box 400mm x 230mm x 90mm (15.75" x 9" x 3.5")	1.8kg 1.9kg 1.9kg 1.5kg	2.3kg 2.4kg 2.4kg 2.0kg	140 190 190 300	SS-P-BR-12-16 SS-P-BK-12-16 SS-P-BU-12-16** SS-T-WH-12-16
<b>fanning stool</b> 455mm tall x 405mm Ø (18" x 16")	 455mm (18")	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)  ships in box 550mm x 230mm x 100mm (21.5" x 9" x 4")	2.9kg 3.0kg 3.0kg 2.5kg	3.4kg 3.5kg 3.5kg 2.9kg	190 250 250 425	SS-P-BR-18-16 SS-P-BK-18-16 SS-P-BU-18-16** SS-T-WH-18-16
<b>fanning stool · bench</b> stool: 305mm tall x 610mm Ø (12" x 24")  bench: 1800mm long x 305mm wide x 305mm tall (6' x 12" x 12")	 610mm (24") Ø 305mm (12") 1800mm (6') max	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)  ships in box 400mm x 330mm x 150mm (15.75" x 13" x 6")	5.1kg 5.3kg 5.3kg 4.6kg	6.0kg 6.2kg 6.2kg 5.5kg	300 400 400 800	SS-P-BR-12-24 SS-P-BK-12-24 SS-P-BU-12-24** SS-T-WH-12-24
<b>fanning stool · bench</b> stool: 455mm tall x 610mm Ø (18" x 24")  bench: 1800mm long x 305mm wide x 455mm tall (6' x 12" x 18")	 610mm (24") Ø 455mm (18") 1800mm (6') max	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)  ships in box 550mm x 330mm x 150mm (21.5" x 13" x 6")	7.9kg 8.1kg 8.1kg 6.8kg	9.0kg 9.2kg 9.2kg 8.0kg	500 650 650 1250	SS-P-BR-18-24 SS-P-BK-18-24 SS-P-BU-18-24** SS-T-WH-18-24
<b>fanning stool · bench</b> stool: 305mm tall x 915mm Ø (12" x 36")  bench: 2500mm long x 455mm wide x 305mm tall (8' x 18" x 12")	 915mm (36") Ø 305mm (12") 2500mm (8') max	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)  ships in box 550mm x 330mm x 160mm (21.5" x 13.25" x 6")	9.3kg 11.2kg 11.2kg 7.6kg	10.4kg 12.3kg 12.3kg 8.7kg	500 700 700 1500	SS-P-BR-12-36 SS-P-BK-12-36 SS-P-BU-12-36** SS-T-WH-12-36
<b>fanning stool · bench</b> stool: 455mm tall x 915mm Ø (18" x 36")  bench: 2500mm long x 455mm wide x 455mm tall (8' x 18" x 18")	 915mm (36") Ø 455mm (18") 2500mm (8') max	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)  ships in box 550mm x 500mm x 170mm (21.5" x 19.75" x 6.75")	14.3kg 15.1kg 15.1kg 11.9kg	16.6kg 17.4kg 17.4kg 14.2kg	800 1100 1100 2200	SS-P-BR-18-36 SS-P-BK-18-36 SS-P-BU-18-36** SS-T-WH-18-36
<b>paper lounger</b> 405mm tall x 2150mm Ø (16" x 84")	 2150mm (84") Ø 405mm (16")	paper · natural brown paper · black paper · indigo blue**  ships in 3 boxes 1155mm x 430mm x 130mm (45.75" x 17" x 5")	56.4kg 63.6kg 63.6kg	63.0kg 70.2kg 70.2kg	3150 4000 4000	SS-P-BR-16-84-LNGR SS-P-BK-16-84-LNGR SS-P-BU-16-84-LNGR**
<b>textile lounger</b> 405mm tall x 1900mm Ø (16" x 74")	 1900mm (74") Ø 405mm (16")	textile · white (translucent)**  ships in 3 boxes 1155mm x 430mm x 130mm (45.75" x 17" x 5")	38.4kg	45.0kg	7300	SS-T-WH-16-74-LNGR
<b>wool felt pad</b> (optional) use wool felt pad independently or pair with softseating fanning stools	 380mm (15") Ø    585mm (23") Ø    890mm (35") Ø	380mm (15") · natural grey felted wool 585mm (23") · natural grey felted wool 890mm (35") · natural grey felted wool  shipping dimensions available upon request	0.8kg 1.1kg 2.5kg	1.1kg 1.5kg 3.9kg	70 110 210	SA-PAD-FLT-GR-15 SA-PAD-FLT-GR-23 SA-PAD-FLT-GR-35
<b>wool felt tote</b> (optional) use wool felt tote to carry 405mm Ø (16") softseating fanning stools in their compressed form	 405mm (16")	small · natural grey felted wool for 305mm tall x 405mm Ø (12" x 16") fanning stool  large · natural grey felted wool for 455mm tall x 405mm Ø (18" x 16") fanning stool  shipping dimensions available upon request	0.1kg 0.1kg	0.2kg 0.2kg	70 80	P-TOTE-FLT-GR-12 P-TOTE-FLT-GR-18

\* weights may vary

\*\* 12 - 14 weeks lead time for indigo blue paper products + white textile lounger

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT

# soft collection




product	dimensions	material + colour	product weight*	shipping weight*	price EUR €***	product code
<b>cantilever table</b> cantilever table has a flexible paper or textile base and is available in sitting or standing height. The honeycomb geometry of a single base can fan open to support a round top. Multiple honeycomb bases may also be magnetically connected and paired with a modular top. The sketching circles accessory is available for the round top, providing a collaborative work environment that allows for ideas to grow as they spin around the table.						
<b>sitting height cantilever table with 1200mmØ (47") top</b> includes: + flexible honeycomb base + round 1200mm Ø (47") top + large neoprene grip disc 810mm Ø (31.8") + glass pencil holder/vase + 400 sheets sketching circles		natural paper base + natural MDF top black paper base + black MDF top white textile base + natural MDF top white textile base + Carrara marble top  table top material options: - clear coated formaldehyde-free MDF - white Carrara marble  ships palletized 1220mm x 1220mm x 500mm (48" x 48" x 19.75") carton breakdown available upon request	27.3kg 30.1kg 37.1kg 74.7kg	60.5kg 63.4kg 58.7kg 108.0kg	2400 2700 4650 6900	M-CT-P-BR-28-MDF-47 M-CT-P-BK-28-BK-MDF-47 M-CT-HWT-WH-28-MDF-47 M-CT-HWT-WH-28-MAR-47
<b>standing height cantilever table with 1200mmØ (47") top</b> includes: + flexible honeycomb base + round 1200mm Ø (47") top + large neoprene grip disc 810mm Ø (31.8") + glass pencil holder/vase + 400 sheets sketching circles		natural paper base + natural MDF top black paper base + black MDF top white textile base + natural MDF top white textile base + Carrara marble top  table top material options: - clear coated formaldehyde-free MDF - white Carrara marble  ships palletized 1220mm x 1220mm x 500mm (48" x 48" x 19.75") carton breakdown available upon request	31.1kg 32.2kg 39.2kg 76.8kg	67.3kg 68.4kg 63.7kg 113.0kg	2700 3050 5400 7850	M-CT-P-BR-41-MDF-47 M-CT-P-BK-41-BK-MDF-47 M-CT-HWT-WH-41-MDF-47 M-CT-HWT-WH-41-MAR-47
<b>paper sketching circles</b> 400 sheets  accessory for 1200mm Ø (47") cantilever table		paper · white  ships in box 685mm x 685mm x 75mm (30" x 30" x 3")	11.5kg	14.8kg	125	M-SA-SKETCH-P-WH-27
<b>sitting height cantilever table with modular top</b>  one set includes: + two-piece honeycomb base + six-piece modular top + six small neoprene grip discs 355mm Ø (14")		natural paper base + natural MDF top black paper base + black MDF top white textile base + natural MDF top  modular top made from clear coated formaldehyde-free MDF  ships palletized 1220mm x 1220mm x 700mm (48" x 48" x 27.5") carton breakdown available upon request	82.6kg 88.2kg 78.8kg	117.6kg 123.2kg 113.8kg	6450 7050 10950	M-CT-P-BR-27-MDF-6W M-CT-P-BK-27-BK-MDF-6W M-CT-HWT-27-BR-MDF-6W
<b>standing height cantilever table with modular top</b>  one set includes: + two-piece honeycomb base + six-piece modular top + six small neoprene grip discs 355mm Ø (14")		natural paper base + natural MDF top black paper base + black MDF top white textile base + natural MDF top  modular top made from clear coated formaldehyde-free MDF  ships palletized 1220mm x 1220mm x 700mm (48" x 48" x 27.5") carton breakdown available upon request	92.9kg 95.2kg 85.9kg	130.9kg 133.2kg 123.9kg	7050 7750 12450	M-CT-P-BR-39-MDF-6W M-CT-P-BK-39-BK-MDF-6W M-CT-HWT-39-BR-MDF-6W

\* weights may vary

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT



# soft collection

cloud softlight mobile	cloud softlight mobile is a luminous, undulating overhead canopy. Taking inspiration from the wondrous mobile constructions of Alexander Calder, a mobile of three cloud pendants gently moves with the air currents of a space. The mobile structure allows for a broad canopy of cloud forms, hung from a single point, to provide light, sound absorption, and a sense of intimate enclosure. The hollow cloud shades are internally lit by LED light, making the sculptural three dimensional forms mysteriously radiant when viewed from any direction. Large cloudscape can be created by grouping multiple mobiles or combining cloud mobiles + pendants.					
product	dimensions + specs		power supply voltage	LED colour	price EUR €***	product code
<b>small cloud mobile</b>	 <p>3 x white textile shade (2 sm, 1 med pendant) aluminum armature</p> <p>warm white: 3650 lumens** daylight white: 3260 lumens** 40W power draw</p> <p>hanging weight: 2.7kg (6.0lbs)* shipping weight (plug-in): 5.3kg (11.7lbs)* shipping weight (120V hardwire): 5.9kg (13lbs)* shipping weight (230V hardwire): 7.5kg (16.5lbs)*</p> <p>ships in two boxes box 1: 610mm x 310mm x 160mm (24" x 12" x 6") box 2: 1260mm x 270mm x 50mm (49.5" x 10.5" x 2")</p>		<p>plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F</p> <p>hardwire 110 -120 V hardwire 110 -120 V</p> <p>hardwire 220 -240 V hardwire 220 -240 V</p>	<p>daylight white 4200K warm white 2500K</p> <p>daylight white 4200K warm white 2500K</p> <p>daylight white 4200K warm white 2500K</p>	1600	<p>CLD-MOB-SM-PI-DW CLD-MOB-SM-PI-WW</p> <p>CLD-MOB-SM-HW-DW-NA CLD-MOB-SM-HW-WW-NA</p> <p>CLD-MOB-SM-HW-DW-EU CLD-MOB-SM-HW-WW-EU</p>
<b>medium cloud mobile</b>	 <p>3 x white textile shade (1 sm, 1 med, 1 lg pendant) aluminum armature</p> <p>warm white: 5300 lumens** daylight white: 5930 lumens** 64W power draw</p> <p>hanging weight: 5.3kg (11.7lbs)* shipping weight (plug-in): 8.9kg (19.6lbs)* shipping weight (120V hardwire): 9.9kg (21.8lbs)* shipping weight (230V hardwire): 10.8kg (23.8lbs)*</p> <p>ships in two boxes box 1: 740mm x 520mm x 160mm (29" x 20.5" x 6.25") box 2: 1350mm x 280mm x 160mm (53" x 11" x 2")</p>		<p>plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F</p> <p>hardwire 110 -120 V hardwire 110 -120 V</p> <p>hardwire 220 -240 V hardwire 220 -240 V</p>	<p>daylight white 4200K warm white 2500K</p> <p>daylight white 4200K warm white 2500K</p> <p>daylight white 4200K warm white 2500K</p>	2600	<p>CLD-MOB-MD-PI-DW CLD-MOB-MD-PI-WW</p> <p>CLD-MOB-MD-HW-DW-NA CLD-MOB-MD-HW-WW-NA</p> <p>CLD-MOB-MD-HW-DW-EU CLD-MOB-MD-HW-WW-EU</p>
<b>large cloud mobile</b>	 <p>3 x white textile shade (1 med, 1 lg, 1 xlg pendant) aluminum armature</p> <p>warm white: 7850 lumens** daylight white: 8780 lumens** 94W power draw</p> <p>hanging weight: 11.3kg (24.8lbs)* shipping weight (plug-in): 17.5kg (38.6lbs)* shipping weight (120V hardwire): 18.4kg (40.6lbs)* shipping weight (230V hardwire): 20.3kg (44.8lbs)*</p> <p>ships in two boxes box 1: 1100mm x 620mm x 180mm (43.25" x 24.5" x 7") box 2: 1980mm x 320mm x 50mm (78" x 13" x 2")</p> <p>all cloud mobiles include 1.5m (5') of electrical cable (custom lengths available). plug-in mobiles include in-line dimmer; hardwire mobiles include a dimmable transformer.</p>		<p>plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F</p> <p>hardwire 110 -120 V hardwire 110 -120 V</p> <p>hardwire 220 -240 V hardwire 220 -240 V</p>	<p>daylight white 4200K warm white 2500K</p> <p>daylight white 4200K warm white 2500K</p> <p>daylight white 4200K warm white 2500K</p>	4600	<p>CLD-MOB-LG-PI-DW CLD-MOB-LG-PI-WW</p> <p>CLD-MOB-LG-HW-DW-NA CLD-MOB-LG-HW-WW-NA</p> <p>CLD-MOB-LG-HW-DW-EU CLD-MOB-LG-HW-WW-EU</p>
<b>custom length power wire + hang cable</b>	<p>8-12 weeks lead time for cloud mobile custom length power wire (expedited small orders possible). Please request quote and lead time.</p> <p>Note: adding length to mobile power wire can only be performed at the molo workshop</p>					CE-CLD-PWIRE-MOB-1
<b>optional transformer enclosure + 455mm Ø (18") canopy plate</b>	 <p>white powder coated steel 455mm (18") Ø x 85mm (3.5")</p> <p>For all sizes of hardwire cloud mobiles; conceals transformer between canopy plate and ceiling.</p>		<p>hardwire 110 -120 V hardwire 220 -240 V</p>		180	<p>CLD-CNPY-TR-18-NA CLD-CNPY-TR-18-EU</p>







\* weights may vary

\*\* lumen values refer to LED output; cloud shade will absorb some light

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT



# soft collection

cloud softlight pendant	<p>cloud softlight pendants are individual cloud luminaries that radiate a gentle, ambient quality of light. The lightweight cloud shades are lit internally by LED and move softly in the air currents overhead. Individual pendants in five sizes — up to 2m (79") in diameter — can be suspended independently or combined with other pendants and/or cloud softlight mobiles to create undulating cloudscaapes. cloud softlight pendant scales beautifully to any size interior, from small apartments to multiple storey auditoriums, offering a unique, custom lighting topography.</p> 					
product	dimensions + specs	power supply voltage	LED colour	price EUR €**	product code	
<b>small cloud pendant</b>	 <p>white textile shade                      warm white: 710 lumens**                      daylight white: 900 lumens**                      5W power draw</p> <p>hanging weight: 0.5kg (1.2lbs)*                      shipping weight (plug-in): 1.4kg (3.1lbs)*                      shipping weight (120V hardwire): 2.1kg (4.6lbs)*                      shipping weight (230V hardwire): 2.2kg (4.9lbs)*</p> <p>ships in box 290mm x 250mm x 150mm (16" x 13" x 6")</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 120 V hardwire 110 - 120 V hardwire 220 - 240 V hardwire 220 - 240 V	daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K	400	CLD-PEN-SM-PI-DW CLD-PEN-SM-PI-WW CLD-PEN-SM-HW-DW-NA CLD-PEN-SM-HW-WW-NA CLD-PEN-SM-HW-DW-EU CLD-PEN-SM-HW-WW-EU	
<b>medium cloud pendant</b>	 <p>white textile shade                      warm white: 1840 lumens**                      daylight white: 2050 lumens**                      22W power draw</p> <p>hanging weight: 1.6kg (3.6lbs)*                      shipping weight (plug-in): 2.7kg (6lbs)*                      shipping weight (120V hardwire): 3.4kg (7.5lbs)*                      shipping weight (230V hardwire): 3.5kg (7.7lbs)*</p> <p>ships in box 610mm x 310mm x 150mm (24" x 12" x 6")</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 120 V hardwire 110 - 120 V hardwire 220 - 240 V hardwire 220 - 240 V	daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K	900	CLD-PEN-MD-PI-DW CLD-PEN-MD-PI-WW CLD-PEN-MD-HW-DW-NA CLD-PEN-MD-HW-WW-NA CLD-PEN-MD-HW-DW-EU CLD-PEN-MD-HW-WW-EU	
<b>large cloud pendant</b>	 <p>white textile shade                      warm white: 2750 lumens**                      daylight white: 3080 lumens**                      33W power draw</p> <p>hanging weight: 3.1kg (6.9lbs)*                      shipping weight (plug-in): 3.6kg (7.9lbs)*                      shipping weight (120V hardwire): 5.5kg (12.1lbs)*                      shipping weight (230V hardwire): 7.2kg (15.9lbs)*</p> <p>ships in box 770mm x 430mm x 130mm (30.25" x 17" x 5")</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 120 V hardwire 110 - 120 V hardwire 220 - 240 V hardwire 220 - 240 V	daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K	1300	CLD-PEN-LG-PI-DW CLD-PEN-LG-PI-WW CLD-PEN-LG-HW-DW-NA CLD-PEN-LG-HW-WW-NA CLD-PEN-LG-HW-DW-EU CLD-PEN-LG-HW-WW-EU	
<b>x-large cloud pendant</b>	 <p>white textile shade                      warm white: 3260 lumens**                      daylight white: 3650 lumens**                      39W power draw</p> <p>hanging weight: 6.5kg (14.3lbs)*                      shipping weight (plug-in): 9.4kg (20.7lbs)*                      shipping weight (120V hardwire): 9.9kg (21.8lbs)*                      shipping weight (230V hardwire): 11.5kg (25.4lbs)*</p> <p>ships in box 1110mm x 600mm x 160mm (43.5" x 23.75" x 6.25")</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F hardwire 110 - 120 V hardwire 110 - 120 V hardwire 220 - 240 V hardwire 220 - 240 V	daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K	2200	CLD-PEN-XL-PI-DW CLD-PEN-XL-PI-WW CLD-PEN-XL-HW-DW-NA CLD-PEN-XL-HW-WW-NA CLD-PEN-XL-HW-DW-EU CLD-PEN-XL-HW-WW-EU	
<b>xx-large cloud pendant</b>	 <p>white textile shade                      warm white: 8570 lumens**                      daylight white: 9580 lumens**                      110W power draw</p> <p>hanging weight: 11.0kg (24.2lbs)*                      shipping weight (plug-in): 15.7kg (34.7lbs)*                      shipping weight (120V hardwire): 16.0kg (35.3lbs)*                      shipping weight (230V hardwire): 20.8kg (45.9lbs)*</p> <p>ships in two boxes                      box 1: 1000mm x 470mm x 170mm (39.5" x 18.5" x 6.25")                      box 2: 1330mm x 520mm x 100mm (52.5" x 20.5" x 4")</p> <p>plug-in cloud pendants include 6m (20') of electrical cable with in-line dimmer (custom lengths available)                      hardwire cloud pendants include 4m (13') of electrical cable (custom lengths available) + a dimmable transformer</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F hardwire 110 - 120 V hardwire 110 - 120 V hardwire 220 - 240 V hardwire 220 - 240 V	daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K daylight white 4200K warm white 2500K	3900	CLD-PEN-XXL-PI-DW CLD-PEN-XXL-PI-WW CLD-PEN-XXL-HW-DW-NA CLD-PEN-XXL-HW-WW-NA CLD-PEN-XXL-HW-DW-EU CLD-PEN-XXL-HW-WW-EU	
<b>custom length power wire + hang cable</b>	Please request quote and lead time.					
<b>optional transformer enclosure + canopy plate</b>	 <p>for small + medium 220-240V hardwire cloud pendants                      405mm (16") Ø x 85mm (3.5") white powder coated steel</p> <p>for all sizes of 110-120V hardwire cloud pendants                      and large, x-large, and xx-large 220-240V hardwire cloud pendants                      455mm (18") Ø x 85mm (3.5") white powder coated steel</p>		hardwire 220 - 240 V hardwire 110 - 120 V hardwire 220 - 240 V		160 180	CLD-CNPY-TR-16 CLD-CNPY-TR-18-NA CLD-CNPY-TR-18-EU

\* weights may vary

\*\* lumen values refer to LED output; cloud shade will absorb some light


\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT



# soft collection

## cloud softlight mast

Floor supported and counterbalanced by hanging weights, cloud mast suspends a luminous canopy of cloud forms. The clouds rise and fall like gentle breath with shifting air currents. It's boom revolves around the central mast, carrying graceful light throughout the space. cloud mast is perfect for illuminating locations where electrical wire and hanging apparatus would interrupt the ceiling.



product	dimensions + specs	power supply voltage	LED colour	price EUR\$***	product code
<b>small cloud mast</b>	<p>153.5" (3900mm)</p> <p>3659mm (12')</p> <p>3050mm (10')</p> <p>specified at time of purchase</p> <p>warm white: 3260 lumens** daylight white: 3650 lumens** 40W power draw</p> <p>shipping weight: 16.28kg (35.9lbs)*</p> <p>ships in one tube + four boxes carton breakdown available upon request</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	daylight white 4200K warm white 2500K	4100	CLD-MAST-SM-DW CLD-MAST-SM-WW
<b>medium cloud mast</b>	<p>161.5" (4100mm)</p> <p>3659mm (12')</p> <p>3050mm (10')</p> <p>specified at time of purchase</p> <p>warm white: 5300 lumens** daylight white: 5930 lumens** 64 power draw</p> <p>shipping weight: 22.1kg (48.6lbs)*</p> <p>ships in one tube + four boxes carton breakdown available upon request</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	daylight white 4200K warm white 2500K	5100	CLD-MAST-MD-DW CLD-MAST-MD-WW
<b>large cloud mast</b>	<p>173.5" (4400mm)</p> <p>3659mm (12')</p> <p>3050mm (10')</p> <p>specified at time of purchase max.2200mm (86.6')</p> <p>warm white: 7650 lumens** daylight white: 8780 lumens** 94W power draw</p> <p>shipping weight: 39.6kg (87.2bs)*</p> <p>ships in one tube + four boxes carton breakdown available upon request</p>	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	daylight white 4200K warm white 2500K	7600	CLD-MAST-LG-DW CLD-MAST-LG-WW
<b>custom length electrical wire + hang height</b>	please inquire for details 12-14 week lead time may apply				

\*overall height + hang height can be reduced 610mm (24") by removing section of vertical support

\* weights may vary

\*\* lumen values refer to LED output; cloud shade will absorb some light

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT





# soft collection

## urchin + cloud table softlights

urchin softlight has an animate tactile character, inviting playful interaction. The elastic three-dimensional honeycomb geometry of urchin will morph through a multitude of forms. Adjusting urchin also adjusts the intensity, direction, and quality of light — a beautiful, tactile way of shaping the light of an intimate space.

cloud table softlight presents a more stoic posture than cloud mobile + pendant; however, buoyancy and graceful balance remain, notably, at the centre of its character and design. The visually delicate wooden base makes clever use of a flexible and hidden connection to elegantly join each of its three legs together.








product	dimensions + specs	power supply voltage	LED colour	price EUR €***	product code
<b>small urchin softlight</b>	 <p>white textile shade warm white: 270 lumens** daylight white: 300 lumens** 3.3W power draw</p> <p>320mm Ø x 300mm<sup>1</sup> (12.5" x 10.5")</p> <p>shipping weight: 1.4kg (3lbs)*</p> <p>ships in box: 430 x 230 x 100mm (17" x 9" x 4")</p>	plug-in 110 - 240 V plug types available: A, C, G, I in-line dimmer included	daylight white 4200K warm white 2500K	300	URC-T-WH-SM-DW URC-T-WH-SM-WW
<b>medium urchin softlight</b>	 <p>white textile shade warm white: 680 lumens** daylight white: 760 lumens** 8W power draw</p> <p>445mm Ø x 435mm<sup>1</sup> (17.5" x 16.5")</p> <p>shipping weight: 2.0kg (4.3lbs)*</p> <p>ships in box: 430 x 230 x 100mm (17" x 9" x 4")</p>	plug-in 110 - 240 V plug types available: A, C, G, I in-line dimmer included	daylight white 4200K warm white 2500K	600	URC-T-WH-MD-DW URC-T-WH-MD-WW
<b>large urchin softlight</b>	 <p>white textile shade warm white: 1020 lumens** daylight white: 1140 lumens** 12W power draw</p> <p>635mm Ø x 570mm<sup>1</sup> (25" x 22.5")</p> <p>shipping weight: 3.0kg (6.6lbs)*</p> <p>ships in box 575 x 270 x 105mm (22.75" x 10.75" x 4.25")</p> <p><sup>1</sup> urchin is inherently flexible; dimensions will vary on arrangement all urchin softlights come with a 3m (10') plug-in electrical cable with in-line dimmer</p>	plug-in 110 - 240 V plug types available: A, C, G, I in-line dimmer included	daylight white 4200K warm white 2500K	900	URC-T-WH-LG-DW URC-T-WH-LG-WW
<b>cloud table softlight</b>	 <p>white textile shade hemlock wood legs warm white: 710 lumens** daylight white: 800 lumens** 9W power draw shipping weight 1.5kg (3.3lbs)*</p> <p>ships in 2 boxes box 1: 290 x 240 x 150mm (11.5" x 9.5" x 6") box 2: 640 x 80mm Ø (25" x 3")</p> <p>cloud table light comes with a 4.5m (15') plug-in electrical cable with in-line dimmer</p>	plug-in 110 - 240 V plug types available: A, C, G, I in-line dimmer included	daylight white 4200K warm white 2500K	450	CLD-TAB-PI-DW CLD-TAB-PI-WW

\* weights may vary

\*\* lumen values refer to LED output; honeycomb shade will absorb some light

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT



float									
<p>float is a line of thermally-resistant glassware designed with simple forms and clean lines to emphasize the expressive colours and charms of the tea, scotch, juice, etc. served within. The suspended bowl of each piece, handcrafted from the borosilicate glass, creates a lens of liquid colour, projecting a play of light on the table top. The simple, elegant forms present sophisticated technical innovations and highly skilled work by master glassblowers. The tea lantern has an insulating double wall, allowing it to be a simple cylindrical form. With a candle lit below the tea lantern, the ambient light, together with the colour, fragrance and steam of the tea, transcends the pragmatic to create an engaging spatial experience.</p> <p>float is exclusively available at molostore.com</p> 									
product		volume ml (oz)	price EUR €***	product code	product		volume ml (oz)	price EUR €***	product code
<b>tea lantern</b> · 3 glass parts: tea pot, lid, candle holder · stainless steel infuser		1000ml (34 fl oz)**	200	FLO-TL-C1 clear glass	<b>tea lantern translucent</b> · 3 glass parts: tea pot, filter, candle holder · stainless steel infuser		1000ml (34 fl oz)**	200	FLO-TL-F1 translucent fritted glass
<b>small tea lantern</b> · 3 glass parts: tea pot, lid, candle holder · stainless steel infuser		500ml (17 fl oz)**	180	FLO-TS-C1 clear glass	<b>small tea lantern translucent</b> · 3 glass parts: tea pot, lid, candle holder · stainless steel infuser		500ml (17 fl oz)**	180	FLO-TS-F1 translucent fritted glass
<b>tea cups</b> set of 2		220ml (7.5 fl oz)* 150ml (5 fl oz)**	90	FLO-TC-C2 clear glass					
<b>sugar + cream</b> 3 parts: sugar with lid + cream		220ml (7.5 fl oz)* 120ml (4 fl oz)**	100	FLO-SC-C1 clear glass	<b>small sugar + cream</b> set of 2		50ml (1.7 fl oz)* 30ml (1 fl oz)**	80	FLO-SS-C1 clear glass
<b>matcha bowl</b> 1 bowl		470ml (16 fl oz)* 180ml (6 fl oz)**	95	FLO-MB-C1 clear glass	<b>animal soup</b> 1 bowl		530ml (18 fl oz)* 400ml (14 fl oz)**	120	FLO-AS-C1 clear glass
<b>champagne flutes</b> set of 2		180ml (6 fl oz)* 120ml (4 fl oz)**	80	FLO-CF-C2 clear glass	<b>red wine glasses</b> set of 2		400ml (14 fl oz)* 150ml (5 fl oz)**	110	FLO-WG-C2 clear glass
<b>pilsner flutes</b> set of 2		325ml (11 fl oz)* 300ml (10 fl oz)**	85	FLO-PF-C2 clear glass	<b>liqueur glasses</b> set of 2		55ml (1.9 fl oz)* 45ml (1.5 fl oz)**	75	FLO-LG-C2 clear glass
<b>martini glasses</b> set of 2		200ml (7 fl oz)* 90ml (3 fl oz)**	95	FLO-MG-C2 clear glass	<b>martini glasses translucent</b> set of 2		200ml (7 fl oz)* 90ml (3 fl oz)**	95	FLO-MG-F2 translucent fritted glass
<b>glass bubbles</b> set of 3		100mm Ø (4") works with a 1.75" Ø (45mm) floating candle	95	FLO-GB-C3 clear glass	<b>glass bubbles translucent</b> set of 3		100mm Ø (4") works with a 1.75" Ø (45mm) floating candle	95	FLO-GB-F3 translucent fritted glass


\* total volume to rim of glass


\*\* suggested serving volume (ask for diagram)

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT

**hobo lantern**

Carry it, carry things in it, light it up! hobo lantern is a portable luminary inspired by the urban nightlife of Zona Tortona during design week. hobo lantern comes to life with an energy-efficient LED light source glowing through its delicate pattern of translucent fibres. It can be plugged in or portable using a battery pack. The elliptical base transitions to meet in a straight line at the bag's opening which fastens with hidden magnets. This geometry creates a generous three-dimensional volume with a capacity to hold its form.



product		dimensions	material + colour	price EUR €***	product code
<p><b>hobo lantern</b></p>	 <p>plug-in 110 - 240 V plug types available: A, C, G, I</p> <p>plug-in + battery 200 lumens** warm white 2500K 2W power draw</p>	<p>380mm tall (+ handles) 300mm x 180mm elliptical base (15", 12" x 7")</p> <p>product weight 0.1kg (0.2lbs)* shipping weight 1.1kg (2.5lbs)* hanging weight including batteries 0.2kg (0.5lbs)*</p> <p>ships in box 400mm x 340mm x 80mm (15.75" x 13.25" x 3")</p>	<p>white non-woven textile (translucent)</p>	<p>125</p>	<p>HOBO-LTN-T-WH-WW</p>
<p><b>cork peg - short</b> wall hook</p>		<p>cork peg 75mm x 40mm Ø (3" x 1.5") bearing capacity: 3.2kg (7lbs)</p> <p>includes magnetic cup mount that screws to wall</p>	<p>natural cork peg</p> <p>nickel plated magnets</p>	<p>50</p>	<p>PEG-HOOK-S</p>
<p><b>cork peg - long</b> wall mounted holder for toilet paper + hand towels</p>		<p>cork peg 150mm x 40mm Ø (6" x 1.5")</p> <p>includes magnetic cup mount that screws to wall</p>	<p>natural cork peg</p> <p>nickel plated magnets</p>	<p>55</p>	<p>PEG-HOOK-L</p>

\* weights may vary



\*\* lumen values refer to LED output, hobo lantern textile material will absorb some light


\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT



**cappello**

cappello is a modest tribute to Achille Castiglioni, Pier Giacomo Castiglioni and Ingo Maurer — designers who have given us (and the world) much joy and inspiration. The Carrara marble core base of cappello is literally extracted from the base of the iconic floor lamp designed by the Castiglioni brothers in 1962. cappello is LED-lit and shaded by a paper "cap" or "cappello" in Italian. A simple magnetic connection allows the paper cap to slide to any position along the steel wire that springs from the marble base. The magnetic connection also allows the paper cap to tilt, adjusting the direction of the light and giving this little table lamp a gestural anthropomorphic quality.



product	dimensions + specs	power supply voltage	LED colour	price EUR €***	product code
<p><b>cappello light</b></p>	 <p>white marble base white paper shade steel rod</p> <p>200 lumens** 2.4W power draw</p> <p>660mm (26") tall</p> <p>product weight 0.9kg (2lbs) shipping weight 1.4kg (3lbs)</p> <p>ships in box 550mm x 170mm x 95mm (21.5" x 6.75" x 3.75")</p> <p>cappello comes with a 3m (10') plug-in electrical cable and in-line dimmer</p>	<p>plug-in 110 - 240 V plug types available: A, C, G, I in-line dimmer included</p>	<p>warm white 2500K</p>	<p>260</p>	<p>CAP-WW</p>

\* weights may vary

\*\* lumen values refer to LED output; cappello shade will absorb some light

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT

